



Safety Data Sheet

Product Name: FUJIDA PETROLEUM JELLY

1. Identification of the Substance/Preparation and the Company/Undertaking

Product Name: FUJIDA PETROLEUM JELLY

Company: Unil Impex (S) Pte. Ltd.

Address: 38 Woodlands Industrial Park E1 #02-09 Singapore 757700

Telephone: +65 4815522

Email: fujida.sg@gmail.com

Website: www.fujida.com.sg

Use of the Substance/Preparation: Industrial applications, household, and electrical use.

2. Hazards Identification

Classification: Not classified as hazardous.

Label Elements: No specific labeling required.

Other Hazards: May cause slight skin irritation on prolonged contact.

3. Composition/Information on Ingredients

Substance: Petroleum Jelly

Chemical Composition: Mixture of hydrocarbons (C15-C50)

4. First Aid Measures

Inhalation: Not applicable.

Skin Contact: Wash with soap and water. Seek medical attention if irritation persists.

Eye Contact: Flush with water for at least 15 minutes. Seek medical attention if irritation persists.

Ingestion: Do not induce vomiting. Seek medical attention.



Safety Data Sheet

5. Fire-Fighting Measures

Suitable Extinguishing Media: Foam, dry chemical, CO₂.

Unsuitable Extinguishing Media: Water jet.

Special Hazards: Combustible material. Hazardous decomposition products may include CO, CO₂.

Protective Equipment: Use self-contained breathing apparatus and protective clothing.

6. Accidental Release Measures

Personal Precautions: Use personal protective equipment.

Environmental Precautions: Prevent entry into waterways.

Methods for Cleaning Up: Scoop up and place in a suitable container for disposal. Clean residue with soap and water.

7. Handling and Storage

Handling: Avoid contact with eyes and skin. Use appropriate PPE.

Storage: Store in a cool, dry place away from direct sunlight. Keep containers tightly sealed.

8. Exposure Controls/Personal Protection

Engineering Controls: Use with adequate ventilation.

Personal Protective Equipment:

- Eye Protection: Safety glasses.
- Skin Protection: Protective gloves.
- Respiratory Protection: Not required under normal conditions.



Safety Data Sheet

9. Physical and Chemical Properties

Appearance: White, semi-solid

Odor: Odorless

Drop Point: $\geq 70^{\circ}\text{C}$ (158°F)

Consistency: Smooth and homogeneous

Density: 0.82 - 0.88 g/cm³

Viscosity: 5.0 - 6.5 cSt at 100°C

Melting Point: 50 - 70°C

pH: Neutral

10. Stability and Reactivity

Chemical Stability: Stable under normal conditions.

Conditions to Avoid: Extreme heat, open flames.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products: CO, CO₂.

11. Toxicological Information

Acute Toxicity: Not classified.

Skin Irritation: May cause slight irritation on prolonged contact.

Eye Irritation: May cause slight irritation.

Inhalation: Not applicable.

Ingestion: Low toxicity, but medical attention recommended.



Safety Data Sheet

12. Ecological Information

Ecotoxicity: Not expected to be hazardous to the environment.

Persistence and Degradability: Not readily biodegradable.

Bioaccumulative Potential: Low potential for bioaccumulation.

Mobility in Soil: Low mobility.

13. Disposal Considerations

Disposal should be in accordance with local, state, and federal regulations. Do not release into waterways.

14. Transport Information

UN Number: 1224.

UN Proper Shipping Name: Petroleum Jelly.

Transport Hazard Class: Not classified.

Packing Group: Not classified.

Environmental Hazards: Non-hazardous material.

15. Regulatory Information

This product complies with all pertinent industry standards and regulations. Please refer to the product's SDS for detailed information.

16. Other Information

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety, and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

For further information or technical support, please contact:

Unil Impex (S) Pte. Ltd.

38 Woodlands Industrial Park E1 #02-09 Singapore 757700

Tel: +65 4815522

Email: fujida.sg@gmail.com



Safety Data Sheet

Website: www.fujida.com.sg